

SK™ PROFESSIONAL TOOLS

THE RIGHT TOOL FOR EVERY JOB, EVERY TIME.

Quick Reference Guide



ESTABLISHED 1921

www.sktools.com



Table of Contents

4	Chrome Socket Sets	18	Impact Socket Sets
5	Chrome Sockets	19	TurboSockets®
9	Bit Socket Sets	20	X-Frame® Ratcheting Wrenches
10	Bit Sockets	21	Wrenches
12	Ratchets	23	Torque Wrenches
14	Attachments	24	Screwdriver Sets & Screwdrivers
15	Impact Sockets	26	Pliers and Plier Sets

Chrome Sockets



SUPERKROME®

High polish SuperKrome® plating results in a jewelry-like finish, providing long life and maximum corrosion resistance.

Sockets For Every Application

SK chrome sockets are available in a variety of sizes and styles to ensure you always have the right tool for each application. They are available in standard, semi-deep, deep and extra deep depths in fractional and metric sizes.

SK Quality


SK hand tools, including our chrome sockets, are manufactured to rigid specifications. At each step in the production process, quality control procedures ensure that every tool will deliver exceptional, long-lasting performance.

It's why SK tools meet or exceed national and international standards.


SUREGRIP® TECHNOLOGY

SureGrip® Technology drives the side of the fastener, not the corner.

This not only provides increased strength, but also avoids the rounding of rusted or damaged fasteners, which can occur when using a sharp cornered hex tool.



SureGrip® Drive



Traditional Hex

Added Versatility

Extend the performance capabilities of your SK tool set with our line of adapters and extensions.



Added Versatility

SK Bit Sockets – The Right Tool for The Job



Ball Hex



Screwdriver



Hex



Triple Square



TORX®



TAMPER PROOF
TORX®



TORX®
Plus

For specifications, dimensions, and full product offering, please see the full line SK Catalog.

Chrome Socket Sets

	SKU Part #	# Pieces	Drive Size	Ratchet Included	Points	Std. Fractional	Deep Fractional	Std. Metric	Deep Metric	Extensions	Extras
1/4" DRIVE, STANDARD AND DEEP	94562	62	1/4"	Yes	6			4-15mm	5-15mm	2" & 6"	3/8" Drive Standard and Deep Metric Sockets, Universal Joint & Adapter
	91860	60	1/4"	Yes	6	1/8-5/8"	1/8-9/16"	4-16mm	4-15mm	2" & 6"	Universal Joint & Adapters
	91848	48	1/4"	Yes	6	3/16-9/16"	1/4-9/16"	4-15mm	6-15mm	2" & 6"	Thumbwheel, Universal Joint & Adapters
	4952	22	1/4"	Yes	12	1/4-9/16"	7/32-9/16"			2" & 6"	Spinner Handle & Universal Joint
	4921	21	1/4"	Yes	6	3/16-1/2"	1/4-1/2"			2" & 6"	Spinner Handle & Universal Joint
	89009	21	1/4"	Yes	6			4-12mm	6-12mm	2" & 6"	Spinner Handle & Universal Joint
	4910	10	1/4"	No	6	3/16-9/16"					
	4946	10	1/4"	No	12	3/16-9/16"					
	4911	10	1/4"	No	6		3/16-9/16"				
	4950	10	1/4"	No	12		3/16-9/16"				
	1313	13	1/4"	No	6			4-15mm			
	1340	10	1/4"	No	12			5-14mm			
	1312	13	1/4"	No	6				4-15mm		
	1350	11	1/4"	No	12				5-14mm		
3/8" DRIVE, STANDARD AND DEEP	94562	62	3/8"	Yes	6			6-22mm	8-19mm	3" & 6"	1/4" Drive Standard and Deep Metric Sockets, Universal Joint & Adapter
	94549	49	3/8"	Yes	6	1/4-7/8"	3/8-7/8"	6-19mm	10-19mm	3" & 6"	Thumbwheel & Universal Joint
	4532	32	3/8"	Yes	6	1/4-1"	1/4-1"			3" & 12"	5/8" Spark Plug Socket, Flex Handle and Universal Joint
	4521	21	3/8"	Yes	6	1/4-3/4"	3/8-7/8"			1.5" & 6"	
	4551	21	3/8"	Yes	12	1/4-3/4"	3/8-7/8"			1.5" & 6"	
	89040	20	3/8"	No	6	5/16-7/8"	5/8-7/8"				5/16-9/16" Extra Deep Sockets
	89024	24	3/8"	No	6			8-19mm			8-19mm Extra Deep Sockets
	91820	22	3/8"	Yes	6			10-19mm	10-19mm	3" & 6"	5/8" Spark Plug Socket
	4613	13	3/8"	No	6	1/4-1"					
	4653	13	3/8"	No	12	1/4-1"					
	4413	13	3/8"	No	6		1/4-1"				
	4453	13	3/8"	No	12		1/4-1"				
	3919	19	3/8"	No	6			6-24mm			
	13S	13	3/8"	No	6			7-19mm			
	89023	13	3/8"	No	12			7-19mm			
	1854	14	3/8"	No	6				6-19mm		
	1871	11	3/8"	No	12				9-19mm		
1/2" DRIVE, STANDARD AND DEEP	4147-6	47	1/2"	Yes	6	1/2 - 1-1/8"	1/2-15/16"	10-24mm	10-19mm	2" & 5"	
	4147	47	1/2"	Yes	12	1/2 - 1-1/8"	1/2-15/16"	10-24mm	10-19mm	2" & 5"	
	4140	40	1/2"	Yes	12	3/8 - 1-1/2"	1/2 - 1-1/4"			3", 5" & 10"	Flex Handle, Sliding T-Handle, Speeder Handle & Universal Joint
	4128-6	28	1/2"	Yes	6	3/8 - 1-1/4"	1/2-1"			2" & 5"	Flex Handle & Universal Joint
	4123	23	1/2"	Yes	12	7/16 - 1-1/4"	1/2-7/8"			5"	Flex Handle
	1942	54	1/2"	Yes	12			10-36mm	10-32mm	3", 5" & 10"	Flex Handle, Sliding T-Handle, Speeder Handle & Universal Joint
	4120	19	1/2"	No	6	3/8 - 1-1/2"					
	4116	16	1/2"	Yes	12	7/16 - 1-1/4"				5"	Flex Handle
	4122	15	1/2"	No	12	3/8 - 1-1/4"					
	4113-6	13	1/2"	No	6	7/16 1-1/4"					
	4819-6	19	1/2"	No	6		3/8 - 1-1/2"				
	4819	19	1/2"	No	12		3/8 - 1-1/2"				
	4822	12	1/2"	No	6		1/2 - 1-1/4"				
	4812	12	1/2"	No	12		1/2 - 1-1/4"				
	1924	24	1/2"	No	12			10-36mm			
	1955	15	1/2"	No	6			10-24mm			
	1913	13	1/2"	No	12			15-32mm			
	1951	21	1/2"	No	12				10-32mm		
	1945	15	1/2"	No	6				10-24mm		

For specifications, dimensions, and full product offering, please see the full line SK Catalog.



Chrome Sockets

1/4" DRIVE STANDARD	SKU Part #	Drive Size	Points	Length	Fractional/Metric	Size
	40904	1/4"	6	Standard	Fractional	1/8"
	40905	1/4"	6	Standard	Fractional	5/32"
	40906	1/4"	6	Standard	Fractional	3/16"
	40907	1/4"	6	Standard	Fractional	7/32"
	40908	1/4"	6	Standard	Fractional	1/4"
	40909	1/4"	6	Standard	Fractional	9/32"
	40910	1/4"	6	Standard	Fractional	5/16"
	40911	1/4"	6	Standard	Fractional	11/32"
	40912	1/4"	6	Standard	Fractional	3/8"
	40914	1/4"	6	Standard	Fractional	7/16"
	40916	1/4"	6	Standard	Fractional	1/2"
	40918	1/4"	6	Standard	Fractional	9/16"
	40920	1/4"	6	Standard	Fractional	5/8"
	43906	1/4"	12	Standard	Fractional	3/16"
	43907	1/4"	12	Standard	Fractional	7/32"
	43908	1/4"	12	Standard	Fractional	1/4"
	43909	1/4"	12	Standard	Fractional	9/32"
	43910	1/4"	12	Standard	Fractional	5/16"
	43911	1/4"	12	Standard	Fractional	11/32"
	43912	1/4"	12	Standard	Fractional	3/8"
	43914	1/4"	12	Standard	Fractional	7/16"
	43916	1/4"	12	Standard	Fractional	1/2"
	43918	1/4"	12	Standard	Fractional	9/16"
	40701	1/4"	6	Standard	Metric	4mm
	40700	1/4"	6	Standard	Metric	4.5mm
	40702	1/4"	6	Standard	Metric	5mm
	40703	1/4"	6	Standard	Metric	5.5mm
	40704	1/4"	6	Standard	Metric	6mm
	40706	1/4"	6	Standard	Metric	7mm
	40707	1/4"	6	Standard	Metric	8mm
	40708	1/4"	6	Standard	Metric	9mm
	40709	1/4"	6	Standard	Metric	10mm
	40710	1/4"	6	Standard	Metric	11mm
	40711	1/4"	6	Standard	Metric	12mm
	40712	1/4"	6	Standard	Metric	13mm
	40713	1/4"	6	Standard	Metric	14mm
	40714	1/4"	6	Standard	Metric	15mm
	40715	1/4"	6	Standard	Metric	16mm
3/8" DRIVE STANDARD	43702	1/4"	12	Standard	Metric	5mm
	43703	1/4"	12	Standard	Metric	5.5mm
	43704	1/4"	12	Standard	Metric	6mm
	43706	1/4"	12	Standard	Metric	7mm
	43707	1/4"	12	Standard	Metric	8mm
	43708	1/4"	12	Standard	Metric	9mm
	43709	1/4"	12	Standard	Metric	10mm
	43710	1/4"	12	Standard	Metric	11mm
	43711	1/4"	12	Standard	Metric	12mm
	43712	1/4"	12	Standard	Metric	13mm
	43713	1/4"	12	Standard	Metric	14mm
	45108	3/8"	6	Standard	Fractional	1/4"
	45110	3/8"	6	Standard	Fractional	5/16"
	45112	3/8"	6	Standard	Fractional	3/8"
	45114	3/8"	6	Standard	Fractional	7/16"
	45116	3/8"	6	Standard	Fractional	1/2"
	45020	3/8"	6	Standard	Fractional	5/8"
	45116	3/8"	6	Standard	Fractional	1/2"

3/8" DRIVE STANDARD (continued)	SKU Part #	Drive Size	Points	Length	Fractional/Metric	Size
	45018	3/8"	6	Standard	Fractional	9/16"
	45022	3/8"	6	Standard	Fractional	11/16"
	45024	3/8"	6	Standard	Fractional	3/4"
	45026	3/8"	6	Standard	Fractional	13/16"
	45028	3/8"	6	Standard	Fractional	7/8"
	45030	3/8"	6	Standard	Fractional	15/16"
	45032	3/8"	6	Standard	Fractional	1"
	45208	3/8"	12	Standard	Fractional	1/4"
	45210	3/8"	12	Standard	Fractional	5/16"
	45212	3/8"	12	Standard	Fractional	3/8"
	45214	3/8"	12	Standard	Fractional	7/16"
	45216	3/8"	12	Standard	Fractional	1/2"
	45218	3/8"	12	Standard	Fractional	9/16"
	45120	3/8"	12	Standard	Fractional	5/8"
	45122	3/8"	12	Standard	Fractional	11/16"
	45124	3/8"	12	Standard	Fractional	3/4"
	45126	3/8"	12	Standard	Fractional	13/16"
	45128	3/8"	12	Standard	Fractional	7/8"
	45130	3/8"	12	Standard	Fractional	15/16"
	45132	3/8"	12	Standard	Fractional	1"
	306	3/8"	6	Standard	Metric	6mm
	307	3/8"	6	Standard	Metric	7mm
	308	3/8"	6	Standard	Metric	8mm
	309	3/8"	6	Standard	Metric	9mm
	310	3/8"	6	Standard	Metric	10mm
	311	3/8"	6	Standard	Metric	11mm
	312	3/8"	6	Standard	Metric	12mm
	313	3/8"	6	Standard	Metric	13mm
	314	3/8"	6	Standard	Metric	14mm
	315	3/8"	6	Standard	Metric	15mm
	316	3/8"	6	Standard	Metric	16mm
	317	3/8"	6	Standard	Metric	17mm
	318S	3/8"	6	Standard	Metric	18mm
	319	3/8"	6	Standard	Metric	19mm
	320	3/8"	6	Standard	Metric	20mm
	321	3/8"	6	Standard	Metric	21mm
	322	3/8"	6	Standard	Metric	22mm
	323	3/8"	6	Standard	Metric	23mm
	324	3/8"	6	Standard	Metric	24mm
	2307	3/8"	12	Standard	Metric	7mm
	2308	3/8"	12	Standard	Metric	8mm
	2309	3/8"	12	Standard	Metric	9mm
	2310	3/8"	12	Standard	Metric	10mm
	2311	3/8"	12	Standard	Metric	11mm
	2312	3/8"	12	Standard	Metric	12mm
	2313S	3/8"	12	Standard	Metric	13mm
	2314	3/8"	12	Standard	Metric	14mm
	2315	3/8"	12	Standard	Metric	15mm
	2316	3/8"	12	Standard	Metric	16mm
	2317	3/8"	12	Standard	Metric	17mm
	2318	3/8"	12	Standard	Metric	18mm
	2319	3/8"	12	Standard	Metric	19mm
	2320	3/8"	12	Standard	Metric	20mm
	2321	3/8"	12	Standard	Metric	21mm
	2322	3/8"	12	Standard	Metric	22mm

Chrome Sockets (continued)

1/2" DRIVE STANDARD	SKU Part #	Drive Size	Points	Length	Fractional/Metric	Size
	40112	1/2"	6	Standard	Fractional	3/8"
	40114	1/2"	6	Standard	Fractional	7/16"
	40116	1/2"	6	Standard	Fractional	1/2"
	40118	1/2"	6	Standard	Fractional	9/16"
	41120	1/2"	6	Standard	Fractional	5/8"
	41122	1/2"	6	Standard	Fractional	11/16"
	41124	1/2"	6	Standard	Fractional	3/4"
	41126	1/2"	6	Standard	Fractional	13/16"
	41128	1/2"	6	Standard	Fractional	7/8"
	41130	1/2"	6	Standard	Fractional	15/16"
	41132	1/2"	6	Standard	Fractional	1"
	41134	1/2"	6	Standard	Fractional	1-1/16"
	41136	1/2"	6	Standard	Fractional	1-1/8"
	41138	1/2"	6	Standard	Fractional	1-3/16"
	41140	1/2"	6	Standard	Fractional	1-1/4"
	41142	1/2"	6	Standard	Fractional	1-5/16"
	41144	1/2"	6	Standard	Fractional	1-3/8"
	41146	1/2"	6	Standard	Fractional	1-7/16"
	41148	1/2"	6	Standard	Fractional	1-1/2"
	40212	1/2"	12	Standard	Fractional	3/8"
	40214	1/2"	12	Standard	Fractional	7/16"
	40216	1/2"	12	Standard	Fractional	1/2"
	40218	1/2"	12	Standard	Fractional	9/16"
	40119	1/2"	12	Standard	Fractional	19/32"
	40120	1/2"	12	Standard	Fractional	5/8"
	40121	1/2"	12	Standard	Fractional	21/32"
	40122	1/2"	12	Standard	Fractional	11/16"
	40124	1/2"	12	Standard	Fractional	3/4"
	40126	1/2"	12	Standard	Fractional	13/16"
	40128	1/2"	12	Standard	Fractional	7/8"
	40130	1/2"	12	Standard	Fractional	15/16"
	40132	1/2"	12	Standard	Fractional	1"
	40134	1/2"	12	Standard	Fractional	1-1/16"
	40136	1/2"	12	Standard	Fractional	1-1/8"
	40138	1/2"	12	Standard	Fractional	1-3/16"
	40140	1/2"	12	Standard	Fractional	1-1/4"
	40142	1/2"	12	Standard	Fractional	1-5/16"
	40144	1/2"	12	Standard	Fractional	1-3/8"
	40146	1/2"	12	Standard	Fractional	1-7/16"
	40148	1/2"	12	Standard	Fractional	1-1/2"
	48209	1/2"	6	Standard	Metric	9mm
	48210	1/2"	6	Standard	Metric	10mm
	48211	1/2"	6	Standard	Metric	11mm
	48212	1/2"	6	Standard	Metric	12mm
	48213	1/2"	6	Standard	Metric	13mm
	48214	1/2"	6	Standard	Metric	14mm
	48215	1/2"	6	Standard	Metric	15mm
	48216	1/2"	6	Standard	Metric	16mm
	48217	1/2"	6	Standard	Metric	17mm
	48218	1/2"	6	Standard	Metric	18mm
	48219	1/2"	6	Standard	Metric	19mm
	48220	1/2"	6	Standard	Metric	20mm
	48221	1/2"	6	Standard	Metric	21mm
	48222	1/2"	6	Standard	Metric	22mm
	48223	1/2"	6	Standard	Metric	23mm

1/2" DRIVE STANDARD (continued)	SKU Part #	Drive Size	Points	Length	Fractional/Metric	Size
	48224	1/2"	6	Standard	Metric	24mm
	48225	1/2"	6	Standard	Metric	25mm
	48226	1/2"	6	Standard	Metric	26mm
	48227	1/2"	6	Standard	Metric	27mm
	48228	1/2"	6	Standard	Metric	28mm
	48229	1/2"	6	Standard	Metric	29mm
	48230	1/2"	6	Standard	Metric	30mm
	48232	1/2"	6	Standard	Metric	32mm
	48236	1/2"	6	Standard	Metric	36mm
	40310	1/2"	12	Standard	Metric	10mm
	40311	1/2"	12	Standard	Metric	11mm
	40312	1/2"	12	Standard	Metric	12mm
	40313	1/2"	12	Standard	Metric	13mm
	40314	1/2"	12	Standard	Metric	14mm
	40315	1/2"	12	Standard	Metric	15mm
	40316	1/2"	12	Standard	Metric	16mm
	40317	1/2"	12	Standard	Metric	17mm
	40318	1/2"	12	Standard	Metric	18mm
	40319	1/2"	12	Standard	Metric	19mm
	40320	1/2"	12	Standard	Metric	20mm
	40321	1/2"	12	Standard	Metric	21mm
	40322	1/2"	12	Standard	Metric	22mm
	40323	1/2"	12	Standard	Metric	23mm
	40324	1/2"	12	Standard	Metric	24mm
	40325	1/2"	12	Standard	Metric	25mm
	40326	1/2"	12	Standard	Metric	26mm
	40327	1/2"	12	Standard	Metric	27mm
	40328	1/2"	12	Standard	Metric	28mm
	40329	1/2"	12	Standard	Metric	29mm
	40330	1/2"	12	Standard	Metric	30mm
	40331	1/2"	12	Standard	Metric	31mm
	40332	1/2"	12	Standard	Metric	32mm
	40336	1/2"	12	Standard	Metric	36mm





Chrome Sockets (continued)

1/4" DRIVE DEEP	SKU Part #	Drive Size	Points	Length	Fractional/Metric	Size
	41904	1/4"	6	Deep	Fractional	1/8"
	41905	1/4"	6	Deep	Fractional	5/32"
	41906	1/4"	6	Deep	Fractional	3/16"
	41907	1/4"	6	Deep	Fractional	7/32"
	41908	1/4"	6	Deep	Fractional	1/4"
	41909	1/4"	6	Deep	Fractional	9/32"
	41910	1/4"	6	Deep	Fractional	5/16"
	41911	1/4"	6	Deep	Fractional	11/32"
	41912	1/4"	6	Deep	Fractional	3/8"
	41914	1/4"	6	Deep	Fractional	7/16"
	41916	1/4"	6	Deep	Fractional	1/2"
	41918	1/4"	6	Deep	Fractional	9/16"
	44906	1/4"	12	Deep	Fractional	3/16"
	44907	1/4"	12	Deep	Fractional	7/32"
	44908	1/4"	12	Deep	Fractional	1/4"
	44909	1/4"	12	Deep	Fractional	9/32"
	44910	1/4"	12	Deep	Fractional	5/16"
	44911	1/4"	12	Deep	Fractional	11/32"
	44912	1/4"	12	Deep	Fractional	3/8"
	44914	1/4"	12	Deep	Fractional	7/16"
	44916	1/4"	12	Deep	Fractional	1/2"
	44918	1/4"	12	Deep	Fractional	9/16"
	41697	1/4"	6	Deep	Metric	4mm
	41698	1/4"	6	Deep	Metric	4.5mm
	41699	1/4"	6	Deep	Metric	5mm
	41700	1/4"	6	Deep	Metric	5.5mm
	41701	1/4"	6	Deep	Metric	6mm
	41703	1/4"	6	Deep	Metric	7mm
	41704	1/4"	6	Deep	Metric	8mm
	41705	1/4"	6	Deep	Metric	9mm
	41706	1/4"	6	Deep	Metric	10mm
	41707	1/4"	6	Deep	Metric	11mm
	41708	1/4"	6	Deep	Metric	12mm
	41709	1/4"	6	Deep	Metric	13mm
	41710	1/4"	6	Deep	Metric	14mm
	41711	1/4"	6	Deep	Metric	15mm
	44702	1/4"	12	Deep	Metric	5mm
	44703	1/4"	12	Deep	Metric	5.5mm
	44704	1/4"	12	Deep	Metric	6mm
	44706	1/4"	12	Deep	Metric	7mm
	44707	1/4"	12	Deep	Metric	8mm
	44708	1/4"	12	Deep	Metric	9mm
	44709	1/4"	12	Deep	Metric	10mm
	44710	1/4"	12	Deep	Metric	11mm
	44711	1/4"	12	Deep	Metric	12mm
	44712	1/4"	12	Deep	Metric	13mm
	44713	1/4"	12	Deep	Metric	14mm

3/8" DRIVE DEEP	SKU Part #	Drive Size	Points	Length	Fractional/Metric	Size
	40408	3/8"	6	Deep	Fractional	1/4"
	40410	3/8"	6	Deep	Fractional	5/16"
	40412	3/8"	6	Deep	Fractional	3/8"
	40414	3/8"	6	Deep	Fractional	7/16"
	40416	3/8"	6	Deep	Fractional	1/2"
	40418	3/8"	6	Deep	Fractional	9/16"
	40420	3/8"	6	Deep	Fractional	5/8"
	40422	3/8"	6	Deep	Fractional	11/16"
	40424	3/8"	6	Deep	Fractional	3/4"
	40426	3/8"	6	Deep	Fractional	13/16"
	40428	3/8"	6	Deep	Fractional	7/8"
	40430	3/8"	6	Deep	Fractional	15/16"
	40432	3/8"	6	Deep	Fractional	1"
	42408	3/8"	12	Deep	Fractional	1/4"
	42410	3/8"	12	Deep	Fractional	5/16"
	42412	3/8"	12	Deep	Fractional	3/8"
	42414	3/8"	12	Deep	Fractional	7/16"
	42416	3/8"	12	Deep	Fractional	1/2"
	42418	3/8"	12	Deep	Fractional	9/16"
	42420	3/8"	12	Deep	Fractional	5/8"
	42422	3/8"	12	Deep	Fractional	11/16"
	42424	3/8"	12	Deep	Fractional	3/4"
	42426	3/8"	12	Deep	Fractional	13/16"
	42428	3/8"	12	Deep	Fractional	7/8"
	42430	3/8"	12	Deep	Fractional	15/16"
	42432	3/8"	12	Deep	Fractional	1"
	8406	3/8"	6	Deep	Metric	6mm
	8407	3/8"	6	Deep	Metric	7mm
	8408	3/8"	6	Deep	Metric	8mm
	8409	3/8"	6	Deep	Metric	9mm
	8410	3/8"	6	Deep	Metric	10mm
	8411	3/8"	6	Deep	Metric	11mm
	8412	3/8"	6	Deep	Metric	12mm
	8413	3/8"	6	Deep	Metric	13mm
	8414	3/8"	6	Deep	Metric	14mm
	8415	3/8"	6	Deep	Metric	15mm
	8416	3/8"	6	Deep	Metric	16mm
	8417	3/8"	6	Deep	Metric	17mm
	8418	3/8"	6	Deep	Metric	18mm
	8419	3/8"	6	Deep	Metric	19mm
	8429	3/8"	12	Deep	Metric	9mm
	8430	3/8"	12	Deep	Metric	10mm
	8431	3/8"	12	Deep	Metric	11mm
	8432	3/8"	12	Deep	Metric	12mm
	8433	3/8"	12	Deep	Metric	13mm
	8434	3/8"	12	Deep	Metric	14mm
	8435	3/8"	12	Deep	Metric	15mm
	8436	3/8"	12	Deep	Metric	16mm
	8437	3/8"	12	Deep	Metric	17mm
	8438	3/8"	12	Deep	Metric	18mm
	8439	3/8"	12	Deep	Metric	19mm

For specifications, dimensions, and full product offering, please see the full line SK Catalog.

Chrome Sockets (continued)

	SKU Part #	Drive Size	Points	Length	Fractional/Metric	Size
1/2" DRIVE DEEP	41812	1/2"	6	Deep	Fractional	3/8"
	41814	1/2"	6	Deep	Fractional	7/16"
	41816	1/2"	6	Deep	Fractional	1/2"
	41818	1/2"	6	Deep	Fractional	9/16"
	41820	1/2"	6	Deep	Fractional	5/8"
	41822S	1/2"	6	Deep	Fractional	11/16"
	41824	1/2"	6	Deep	Fractional	3/4"
	41826	1/2"	6	Deep	Fractional	13/16"
	41828	1/2"	6	Deep	Fractional	7/8"
	41830	1/2"	6	Deep	Fractional	15/16"
	41832	1/2"	6	Deep	Fractional	1"
	41834	1/2"	6	Deep	Fractional	1-1/16"
	41836	1/2"	6	Deep	Fractional	1-1/8"
	41838	1/2"	6	Deep	Fractional	1-3/16"
	41840	1/2"	6	Deep	Fractional	1-1/4"
	41842	1/2"	6	Deep	Fractional	1-5/16"
	41844	1/2"	6	Deep	Fractional	1-3/8"
	41846	1/2"	6	Deep	Fractional	1-7/16"
	41848	1/2"	6	Deep	Fractional	1-1/2"
	40812	1/2"	12	Deep	Fractional	3/8"
	40814	1/2"	12	Deep	Fractional	7/16"
	40816	1/2"	12	Deep	Fractional	1/2"
	40818	1/2"	12	Deep	Fractional	9/16"
	40820	1/2"	12	Deep	Fractional	5/8"
	40822	1/2"	12	Deep	Fractional	11/16"
	40824	1/2"	12	Deep	Fractional	3/4"
	40826	1/2"	12	Deep	Fractional	13/16"
	40828	1/2"	12	Deep	Fractional	7/8"
	40830	1/2"	12	Deep	Fractional	15/16"
	40832	1/2"	12	Deep	Fractional	1"
	40834	1/2"	12	Deep	Fractional	1-1/16"
	40836	1/2"	12	Deep	Fractional	1-1/8"
	40838	1/2"	12	Deep	Fractional	1-3/16"
	40840	1/2"	12	Deep	Fractional	1-1/4"
	40842	1/2"	12	Deep	Fractional	1-5/16"
	40844	1/2"	12	Deep	Fractional	1-3/8"
	40846	1/2"	12	Deep	Fractional	1-7/16"
	40848	1/2"	12	Deep	Fractional	1-1/2"
	40010	1/2"	6	Deep	Metric	10mm
	40011	1/2"	6	Deep	Metric	11mm
	40012	1/2"	6	Deep	Metric	12mm
	40013	1/2"	6	Deep	Metric	13mm
	40014	1/2"	6	Deep	Metric	14mm
	40015	1/2"	6	Deep	Metric	15mm
	40016	1/2"	6	Deep	Metric	16mm
	40017	1/2"	6	Deep	Metric	17mm
	40018	1/2"	6	Deep	Metric	18mm
	40019	1/2"	6	Deep	Metric	19mm
	40020	1/2"	6	Deep	Metric	20mm
	40021	1/2"	6	Deep	Metric	21mm
	40022	1/2"	6	Deep	Metric	22mm
	40023	1/2"	6	Deep	Metric	23mm
	40024	1/2"	6	Deep	Metric	24mm

	SKU Part #	Drive Size	Points	Length	Fractional/Metric	Size
1/2" DRIVE DEEP (continued)	40025	1/2"	6	Deep	Metric	25mm
	40026	1/2"	6	Deep	Metric	26mm
	40027	1/2"	6	Deep	Metric	27mm
	40028	1/2"	6	Deep	Metric	28mm
	40030	1/2"	6	Deep	Metric	30mm
	40032	1/2"	6	Deep	Metric	32mm
	48010	1/2"	12	Deep	Metric	10mm
	48011	1/2"	12	Deep	Metric	11mm
	48012	1/2"	12	Deep	Metric	12mm
	48013	1/2"	12	Deep	Metric	13mm
	48014	1/2"	12	Deep	Metric	14mm
	48015	1/2"	12	Deep	Metric	15mm
	48016	1/2"	12	Deep	Metric	16mm
	48017	1/2"	12	Deep	Metric	17mm
	48018	1/2"	12	Deep	Metric	18mm
	48019	1/2"	12	Deep	Metric	19mm
	48020	1/2"	12	Deep	Metric	20mm
	48021	1/2"	12	Deep	Metric	21mm
	48022	1/2"	12	Deep	Metric	22mm
	48023	1/2"	12	Deep	Metric	23mm
	48024	1/2"	12	Deep	Metric	24mm
	48025	1/2"	12	Deep	Metric	25mm
	48026	1/2"	12	Deep	Metric	26mm
	48027	1/2"	12	Deep	Metric	27mm
	48028	1/2"	12	Deep	Metric	28mm
	48029	1/2"	12	Deep	Metric	29mm
	48030	1/2"	12	Deep	Metric	30mm
	48031	1/2"	12	Deep	Metric	31mm
	48032	1/2"	12	Deep	Metric	32mm
3/8" DRIVE EXTRA DEEP	8416	3/8"	6	Extra Deep	Metric	16mm
	8417	3/8"	6	Extra Deep	Metric	17mm
	8418	3/8"	6	Extra Deep	Metric	18mm
	8419	3/8"	6	Extra Deep	Metric	19mm
	8420	3/8"	6	Extra Deep	Metric	20mm
	8421	3/8"	6	Extra Deep	Metric	21mm
	8422	3/8"	6	Extra Deep	Metric	22mm



Bit Socket Sets

STANDARD & DEEP SETS	SKU Part #	# Pieces	Drive Size	Length	Type	Size
	19763	35	1/4", 3/8" & 1/2"	Standard	TORX®, Tamper Proof TORX® & Female TORX®	T8-T60, T7-T55 & E4-E18
	89039	33	1/4" & 3/8"	Standard	Hex, TORX®, Slotted, Phillips & Pozidriv®	1/8-3/8" & 2-10mm, T10-T55, #4-#6, P1-P3 & P2
	19731	10	1/4"	Standard	Hex	1/16-1/4"
	19733	9	3/8" & 1/2"	Standard	Hex	5/32-5/8"
	19723	7	3/8"	Standard	Hex	1/8-3/8"
	41227	7	1/2"	Standard	Hex	5/16-3/4"
	19728	7	3/8"	Long	Hex	1/8-3/8"
	41255	5	1/2"	Long	Hex	5/16-5/8"
	19708	8	3/8"	Standard	Hex	5-12mm
	19732	6	1/4"	Standard	Hex	2-6mm
	19734	9	3/8" & 1/2"	Standard	Hex	4-17mm
	19726	6	3/8"	Long	Hex	4-10mm
	41455	5	1/2"	Long	Hex	8-17mm
	19749	9	3/8"	Standard	Tamper-Proof Hex	5/64-1/4"
	19752	8	3/8"	Standard	Ball Hex	3-10mm
	19766	6	3/8"	Standard	Ball Hex	5/32-3/8"
	19748	8	3/8"	Long	Ball Hex	3-10mm
	19751	7	3/8"	Long	Ball Hex	1/8-3/8"
	19704	4	3/8" & 1/2"	Standard	Triple Square	6-12mm
	84213	13	1/4" & 3/8"	Standard	TORX®	T8-T60
	84220	10	1/4" & 3/8"	Long	TORX®	T8-T50
	19768	12	1/4" & 3/8"	Standard	Tamper-Proof TORX®	T7-T55
	84232	12	1/4", 3/8" & 1/2"	Standard	TORX® Plus	T8-T60
	19761	10	1/4", 3/8" & 1/2"	Standard	Female TORX®	E4-E24
	19737	7	3/8"	Standard	Slotted, Phillips, Pozidriv®	#4-#6, P1-P3 & #2



Bit holder through-hole design allows you to easily take out worn and broken bits and quickly insert a replacement bit.

Designed for maximum bit retention.

For specifications, dimensions, and full product offering, please see the full line SK Catalog.

Bit Sockets

BIT SOCKETS	SKU Part #	Drive Size	Length	Type	Size
	44304	1/4"	Standard	Hex	1/16"
	44305	1/4"	Standard	Hex	5/64"
	44306	1/4"	Standard	Hex	3/32"
	44307	1/4"	Standard	Hex	7/64"
	44308	1/4"	Standard	Hex	1/8"
	44309	1/4"	Standard	Hex	9/64"
	44310	1/4"	Standard	Hex	5/32"
	44312	1/4"	Standard	Hex	3/16"
	44314	1/4"	Standard	Hex	7/32"
	44316	1/4"	Standard	Hex	1/4"
	41201	3/8"	Standard	Hex	1/16"
	41202	3/8"	Standard	Hex	5/64"
	41203	3/8"	Standard	Hex	3/32"
	41204	3/8"	Standard	Hex	7/64"
	41205	3/8"	Standard	Hex	1/8"
	41206	3/8"	Standard	Hex	9/64"
	41207	3/8"	Standard	Hex	5/32"
	41208	3/8"	Standard	Hex	3/16"
	41209	3/8"	Standard	Hex	7/32"
	41210	3/8"	Standard	Hex	1/4"
	41211	3/8"	Standard	Hex	5/16"
	41212	3/8"	Standard	Hex	3/8"
	41213	1/2"	Standard	Hex	5/16"
	41214	1/2"	Standard	Hex	3/8"
	41215	1/2"	Standard	Hex	7/16"
	41216	1/2"	Standard	Hex	1/2"
	41218	1/2"	Standard	Hex	9/16"
	41220	1/2"	Standard	Hex	5/8"
	41224	1/2"	Standard	Hex	3/4"
	45904	3/8"	Long	Hex	1/8"
	45905	3/8"	Long	Hex	5/32"
	45906	3/8"	Long	Hex	3/16"
	45907	3/8"	Long	Hex	7/32"
	45908	3/8"	Long	Hex	1/4"
	45910	3/8"	Long	Hex	5/16"
	45912	3/8"	Long	Hex	3/8"
	41260	1/2"	Long	Hex	5/16"
	41262	1/2"	Long	Hex	3/8"
	41266	1/2"	Long	Hex	1/2"
	41268	1/2"	Long	Hex	9/16"
	41270	1/2"	Long	Hex	5/8"
	44324	1/4"	Standard	Hex	2mm
	44325	1/4"	Standard	Hex	2.5mm
	44326	1/4"	Standard	Hex	3mm
	44327	1/4"	Standard	Hex	4mm
	44328	1/4"	Standard	Hex	5mm
	44330	1/4"	Standard	Hex	6mm
	41400	3/8"	Standard	Hex	2mm
	41401	3/8"	Standard	Hex	2.5mm
	41402	3/8"	Standard	Hex	3mm
	41403	3/8"	Standard	Hex	4mm
	41404	3/8"	Standard	Hex	5mm
	41405	3/8"	Standard	Hex	6mm
	41406	3/8"	Standard	Hex	7mm
	41407	3/8"	Standard	Hex	8mm

BIT SOCKETS (continued)	SKU Part #	Drive Size	Length	Type	Size
	41408	3/8"	Standard	Hex	9mm
	41409	3/8"	Standard	Hex	10mm
	41410	3/8"	Standard	Hex	11mm
	41411	3/8"	Standard	Hex	12mm
	41426	1/2"	Standard	Hex	6mm
	41428	1/2"	Standard	Hex	8mm
	41430	1/2"	Standard	Hex	10mm
	41412	1/2"	Standard	Hex	12mm
	41414	1/2"	Standard	Hex	14mm
	41417	1/2"	Standard	Hex	17mm
	41419	1/2"	Standard	Hex	19mm
	45954	3/8"	Long	Hex	4mm
	45955	3/8"	Long	Hex	5mm
	45956	3/8"	Long	Hex	6mm
	45957	3/8"	Long	Hex	7mm
	45958	3/8"	Long	Hex	8mm
	45960	3/8"	Long	Hex	10mm
	41458	1/2"	Long	Hex	8mm
	41460	1/2"	Long	Hex	10mm
	41462	1/2"	Long	Hex	12mm
	41464	1/2"	Long	Hex	14mm
	41467	1/2"	Long	Hex	17mm
	44205	3/8"	Standard	Tamper-Proof	5/64"
	44206	3/8"	Standard	Tamper-Proof	3/32"
	44207	3/8"	Standard	Tamper-Proof	7/64"
	44208	3/8"	Standard	Tamper-Proof	1/8"
	44209	3/8"	Standard	Tamper-Proof	9/64"
	44210	3/8"	Standard	Tamper-Proof	5/32"
	44212	3/8"	Standard	Tamper-Proof	3/16"
	44214	3/8"	Standard	Tamper-Proof	7/32"
	44216	3/8"	Standard	Tamper-Proof	1/4"
	45505	3/8"	Standard	Ball Hex	5/32"
	45506	3/8"	Standard	Ball Hex	3/16"
	45507	3/8"	Standard	Ball Hex	7/32"
	45508	3/8"	Standard	Ball Hex	1/4"
	45510	3/8"	Standard	Ball Hex	5/16"
	45512	3/8"	Standard	Ball Hex	3/8"
	45523	3/8"	Standard	Ball Hex	3mm
	45524	3/8"	Standard	Ball Hex	4mm
	45525	3/8"	Standard	Ball Hex	5mm
	45526	3/8"	Standard	Ball Hex	6mm
	45527	3/8"	Standard	Ball Hex	7mm
	45528	3/8"	Standard	Ball Hex	8mm
	45529	3/8"	Standard	Ball Hex	9mm
	45530	3/8"	Standard	Ball Hex	10mm
	45934	3/8"	Long	Ball Hex	1/8"
	45935	3/8"	Long	Ball Hex	5/32"
	45936	3/8"	Long	Ball Hex	3/16"
	45937	3/8"	Long	Ball Hex	7/32"
	45938	3/8"	Long	Ball Hex	1/4"
	45940	3/8"	Long	Ball Hex	5/16"
	45942	3/8"	Long	Ball Hex	3/8"
	45963	3/8"	Long	Ball Hex	3mm
	45964	3/8"	Long	Ball Hex	4mm
	45965	3/8"	Long	Ball Hex	5mm

Torx® and Torx Plus® are registered trademarks of Acument Intellectual Properties, LLC



**LIFETIME
WARRANTY**

Bit Sockets (continued)

BIT SOCKETS (continued)	SKU Part #	Drive Size	Length	Type	Size
	45966	3/8"	Long	Ball Hex	6mm
	45967	3/8"	Long	Ball Hex	7mm
	45968	3/8"	Long	Ball Hex	8mm
	45969	3/8"	Long	Ball Hex	9mm
	45970	3/8"	Long	Ball Hex	10mm
	45436	3/8"	Standard	Triple Square	6mm
	45438	3/8"	Standard	Triple Square	8mm
	41420	1/2"	Standard	Triple Square	10mm
	41422	1/2"	Standard	Triple Square	12mm
	42908	1/4"	Standard	TORX®	T8
	42910	1/4"	Standard	TORX®	T10
	42915	1/4"	Standard	TORX®	T15
	42920	1/4"	Standard	TORX®	T20
	42925	1/4"	Standard	TORX®	T25
	42927	1/4"	Standard	TORX®	T27
	42930	1/4"	Standard	TORX®	T30
	45540	3/8"	Standard	TORX®	T40
	45545	3/8"	Standard	TORX®	T45
	45547	3/8"	Standard	TORX®	T47
	45550	3/8"	Standard	TORX®	T50
	45555	3/8"	Standard	TORX®	T55
	45560	1/2"	Standard	TORX®	T60
	42958	1/4"	Long	TORX®	T8
	42960	1/4"	Long	TORX®	T10
	42965	1/4"	Long	TORX®	T15
	42970	1/4"	Long	TORX®	T20
	42975	1/4"	Long	TORX®	T25
	42977	1/4"	Long	TORX®	T27
	42580	3/8"	Long	TORX®	T30
	42590	3/8"	Long	TORX®	T40
	42595	3/8"	Long	TORX®	T45
	42600	3/8"	Long	TORX®	T50
	42507	1/4"	Standard	Tamper-Proof TORX®	T7
	42508	1/4"	Standard	Tamper-Proof TORX®	T8
	42510	1/4"	Standard	Tamper-Proof TORX®	T10
	42515	1/4"	Standard	Tamper-Proof TORX®	T15
	42520	1/4"	Standard	Tamper-Proof TORX®	T20
	42525	1/4"	Standard	Tamper-Proof TORX®	T25
	42527	1/4"	Standard	Tamper-Proof TORX®	T27
	42530	1/4"	Standard	Tamper-Proof TORX®	T30
	45440	3/8"	Standard	Tamper-Proof TORX®	T40
	45445	3/8"	Standard	Tamper-Proof TORX®	T45
	45450	3/8"	Standard	Tamper-Proof TORX®	T50
	45455	3/8"	Standard	Tamper-Proof TORX®	T55
	42938	1/4"	Standard	TORX® Plus	T8
	42940	1/4"	Standard	TORX® Plus	T10
	42941	1/4"	Standard	TORX® Plus	T15
	42942	1/4"	Standard	TORX® Plus	T20
	42943	1/4"	Standard	TORX® Plus	T25
	42944	1/4"	Standard	TORX® Plus	T27
	42945	1/4"	Standard	TORX® Plus	T30

BIT SOCKETS (continued)	SKU Part #	Drive Size	Length	Type	Size
	45570	3/8"	Standard	TORX® Plus	T40
	45571	3/8"	Standard	TORX® Plus	T45
	45572	3/8"	Standard	TORX® Plus	T50
	45573	3/8"	Standard	TORX® Plus	T55
	45574	1/2"	Standard	TORX® Plus	T60
	44470	1/4"	Standard	Slotted	3/16"
	44471	1/4"	Standard	Slotted	1/4"
	44472	1/4"	Standard	Slotted	9/32"
	44473	1/4"	Standard	Slotted	5/16"
	44480	1/4"	Standard	Phillips	#0
	44481	1/4"	Standard	Phillips	#1
	44482	1/4"	Standard	Phillips	#2
	44483	1/4"	Long	Phillips	#2
	45471	3/8"	Standard	Slotted	#4
	45472	3/8"	Standard	Slotted	#5
	45473	3/8"	Standard	Slotted	#6
	45481	3/8"	Standard	Phillips	#1
	45482	3/8"	Standard	Phillips	#2
	45483	3/8"	Standard	Phillips	#3
	45484	3/8"	Standard	Phillips	#4
	45492	3/8"	Standard	Pozidriv®	#2

EXTERNAL	SKU Part #	Drive Size	Length	Type	Size
	42604	1/4"	Standard	Female TORX®	E4
	42605	1/4"	Standard	Female TORX®	E5
	42606	1/4"	Standard	Female TORX®	E6
	42607	1/4"	Standard	Female TORX®	E7
	42608	1/4"	Standard	Female TORX®	E8
	42610	3/8"	Standard	Female TORX®	E10
	42612	3/8"	Standard	Female TORX®	E12
	42614	3/8"	Standard	Female TORX®	E14
	42616	3/8"	Standard	Female TORX®	E16
	42618	1/2"	Standard	Female TORX®	E18
	42620	1/2"	Standard	Female TORX®	E20
	42622	1/2"	Standard	Female TORX®	E22
	42624	1/2"	Standard	Female TORX®	E24



For specifications, dimensions, and full product offering, please see the full line SK Catalog.

Ratchets



High polish SuperKrome® plating results in a jewelry-like finish, providing long life and maximum corrosion resistance.



DT Series

- A ratchet to give you double the precision and more of the access you need.
- Dual pawl technology doubles the tooth count and provides half the arc swing.
- Increased strength to withstand the most stubborn fasteners.



Flex Head

- Flex head ratchets allow for greater access in tight spaces.
- High quality with smooth ratcheting action
- Ideally suited for aerospace, automotive and industrial applications.

LP90 Series Ratchets

Perfect Balance of Strength, Flexibility and Precision




Innovative 90 tooth ratchet mechanism

- Low 4° arc swing for ultimate access in the tightest spaces
- Greater precision to engage fasteners quicker

Maximum strength and reliability

- Engineered and tested to deliver the strength and durability technicians have trusted from SK ratchets for over 90 years
- Backed by a lifetime warranty



Lower-profile head

- Thinner head allows easy access in the tightest spaces
- Sealed head design reduces potential for internal contaminants

Quick change lever

- Effortlessly change drive direction
- Easier to change than flush mount switches

Made to deliver torque at odd angles

- Gives you versatility of a flexible head to use for odd angled applications

Patented ergonomic handle

- Contoured handle allows multi-position grip
- Superior comfort that is tough on fasteners, not your hand

Ratchets

RATCHETS	SKU Part #	Drive Size	Head Style	Flex Head	Length	Arc Swing
	40970	1/4"	Round	No	5"	6°
	40971	1/4"	Round	No	7"	6°
	40972	1/4"	Round	Yes	6"	6°
	45174	3/8"	Round	No	5"	9°
	45170	3/8"	Round	No	8"	9°
	45179	3/8"	Round	No	10"	9°
	45178	3/8"	Round	Yes	5"	9°
	45183	3/8"	Round	Yes	11"	9°
	3770	3/8"	Round	Yes	11"	9°
	42472	1/2"	Round	Yes	18"	7.2°
	42470	1/2"	Round	No	10"	7.2°
	40170	1/2"	Round	No	15"	7.2°
	800700	1/4"	Round-DT Series	No	5"	3°
	800720	3/8"	Round-DT Series	No	8"	4.5°
	800740	1/2"	Round-DT Series	No	10"	3.6°
	80180	1/4"	LP90 Series	No	5"	4°
	80181	1/4"	LP90 Series	No	8"	4°
	80182	1/4"	LP90 Series	No	12"	4°
	80280	1/4"	LP90 Series	Yes	5"	4°
	80200	3/8"	LP90 Series	No	8"	4°
	80201	3/8"	LP90 Series	No	4"	4°
	80202	3/8"	LP90 Series	No	11"	4°
	80203	3/8"	LP90 Series	No	15"	4°
	80290	3/8"	LP90 Series	Yes	11"	4°
	80220G	1/2"	LP90 Series	No	10"	4°
	80221	1/2"	LP90 Series	No	15"	4°
	80222	1/2"	LP90 Series	No	24"	4°
	80300	1/2"	LP90 Series	Yes	15"	4°
	80310	1/2"	LP90 Series	Yes	11"	4°

RATCHET REPAIR KITS	SKU Part #	Drive Size	Head Style
	800700-2	1/4"	Round, DT Series
	800720-2	3/8"	Round, DT Series
	800740-2	1/2"	Round, DT Series
	40970-2	1/4"	Round
	45170-2	3/8"	Round
	45173-2	3/8"	Round
	42470-2	1/2"	Round
	47170-2	3/4"	Round
	80180-2	1/4"	Teardrop
	80200-2	3/8"	Teardrop
	80220-2	1/2"	Teardrop

THUMBWHEEL RATCHETS	SKU Part #	Drive Size	Arc Swing
	49270	1/4"	6°
	45172S	3/8"	6°

Attachment Sets

EXTENSION SETS	SKU Part #	# Pieces	Drive Size	Finish	Type	Length Range
	4916T	6	1/4"	Chrome	Standard	2"-14"
	40936	6	1/4"	Chrome	Wobble	1.5"-14"
	4941	3	1/4"	Chrome	Locking	3"-15"
	4538	8	3/8"	Chrome	Standard	1.5"-24"
	4539	8	3/8"	Chrome	Wobble	1.5"-24"
	4524	4	3/8"	Chrome	Wobble	3"-12"
	4514	4	3/8"	Chrome	Standard	1.5"-12"
	4516	3	3/8"	Chrome	Locking	7.5"-19.5"
	40165	5	1/2"	Chrome	Standard	2"-15"
	40208	5	1/2"	Chrome	Wobble	2"-15"
	4114	3	1/2"	Chrome	Standard	5"-20"
	32160	3	1/4"	Black Oxide	Powerdrive Lock	2"-6"
	45674	3	3/8"	Black Oxide	Impact	3"-10"
	46164	4	1/2"	Black Oxide	Impact	2"-10"

DRIVE LOCKING EXTENSION SETS	SKU Part #	# Pieces	Drive Size	Finish	Type	Length Range
	40210	3	1/2"	Chrome	Locking	3"-10"
	45664	3	3/8"	Impact	Locking	3"-10"
	46158	3	1/2"	Impact	Locking	3"-10"
	46159	3	1/2"	Impact	Locking	18"-31"



Attachments

EXTENSION	SKU Part #	Finish	Type	Drive Size	Length
	40961	Chrome	Standard	1/4"	2"
	40963	Chrome	Standard	1/4"	3"
	40962	Chrome	Standard	1/4"	6"
	40968	Chrome	Standard	1/4"	8"
	40969	Chrome	Standard	1/4"	10"
	40964	Chrome	Standard	1/4"	14"
	40921	Chrome	Wobble	1/4"	1.5"
	40922	Chrome	Wobble	1/4"	2"
	40924	Chrome	Wobble	1/4"	4"
	40926	Chrome	Wobble	1/4"	6"
	40930	Chrome	Wobble	1/4"	10"
	40934	Chrome	Wobble	1/4"	14"
	40991	Chrome	Locking	1/4"	3"
	40992	Chrome	Locking	1/4"	7"
	40994	Chrome	Locking	1/4"	15"
	45159	Chrome	Standard	3/8"	1.5"
	45160	Chrome	Standard	3/8"	3"
	45154	Chrome	Standard	3/8"	4"
	45161	Chrome	Standard	3/8"	6"
	45156	Chrome	Standard	3/8"	8"
	45157	Chrome	Standard	3/8"	10"
	45162	Chrome	Standard	3/8"	12"
	45163	Chrome	Standard	3/8"	18"
	45164	Chrome	Standard	3/8"	24"
	45149	Chrome	Standard	3/8"	36"
	45169	Chrome	Wobble	3/8"	1.5"
	45165	Chrome	Wobble	3/8"	3"
	45144	Chrome	Wobble	3/8"	4"
	45166	Chrome	Wobble	3/8"	6"
	45167	Chrome	Wobble	3/8"	8"
	45145	Chrome	Wobble	3/8"	10"
	45168	Chrome	Wobble	3/8"	12"
	45146	Chrome	Wobble	3/8"	18"
	45147	Chrome	Wobble	3/8"	24"
	45184	Chrome	Locking	3/8"	4.5"
	45185	Chrome	Locking	3/8"	7.5"
	45189	Chrome	Locking	3/8"	10.5"
	45186	Chrome	Locking	3/8"	13.5"
	45187	Chrome	Locking	3/8"	19.5"
	45188	Chrome	Locking	3/8"	25.5"
	40160	Chrome	Standard	1/2"	2"
	40159	Chrome	Standard	1/2"	3"
	40161	Chrome	Standard	1/2"	5"
	40162	Chrome	Standard	1/2"	10"
	40164	Chrome	Standard	1/2"	15"
	40163	Chrome	Standard	1/2"	20"
	40192	Chrome	Wobble	1/2"	2"
	40193	Chrome	Wobble	1/2"	3"
	40195	Chrome	Wobble	1/2"	5"
	40200	Chrome	Wobble	1/2"	10"
	40205	Chrome	Wobble	1/2"	15"
	32162	Impact	Locking	1/4"	2"
	32164	Impact	Locking	1/4"	4"
	32166	Impact	Locking	1/4"	6"

EXTENSION (continued)	SKU Part #	Finish	Type	Drive Size	Length
	45670	Impact	Standard	3/8"	3"
	45671	Impact	Standard	3/8"	6"
	45672	Impact	Standard	3/8"	10"
	45660	Impact	Locking	3/8"	3"
	45661	Impact	Locking	3/8"	6"
	45662	Impact	Locking	3/8"	12"
	46169	Impact	Standard	1/2"	2"
	46170	Impact	Standard	1/2"	3"
	46171	Impact	Standard	1/2"	5"
	46172	Impact	Standard	1/2"	10"
	46150	Impact	Locking	1/2"	3"

BREAKER BARS	SKU Part #	Drive Size	Length
	40952	1/4"	5.4"
	45152	3/8"	10"
	45155	3/8"	15"

BREAKER BARS (continued)	SKU Part #	Drive Size	Length
	41652	1/2"	16"
	41654	1/2"	24"
	41656	1/2"	30"

UNIVERSAL JOINTS	SKU Part #	Finish	Drive Size
	40990	Chrome	1/4"
	45190	Chrome	3/8"
	40190	Chrome	1/2"
	45690	Impact	3/8"

UNIVERSAL JOINTS (continued)	SKU Part #	Finish	Drive Size
	33990	Impact	3/8"
	46990	Impact	1/2"
	34990	Impact	1/2"

SPEEDER HANDLES	SKU Part #	Drive Size	Length
	40981	1/4"	14.5"
	45181	3/8"	16.8"
	40181	1/2"	18.1"

SPINNER HANDLE	SKU Part #	Drive Size	Length
	40953	1/4"	6"

ADAPTER SETS	SKU Part #	# Pieces	Universal Drive Size Range	Adapter Size Range
	4518	8	1/4"-1/2"	1/4" - 3/4"
	4506	5		1/4" - 3/4"

ADAPTERS	SKU Part #	Finish	Type	Size
	409	Chrome	Standard	3/4"F-1/2"M
	384	Chrome	Standard	3/8"F-1/4"M
	385	Chrome	Standard	1/4"F-3/8"M
	401	Chrome	Standard	1/2"F-3/8"M
	407	Chrome	Standard	1/2"F-3/4"M
	451	Chrome	Standard	3/8"F-1/2"M
	45684	Impact	Standard	3/8"F-1/2"M
	45686	Impact	Standard	1/2"F-3/8"M
	45685	Impact	Standard	1/2"F-3/8"M
	46174	Impact	Extension	1/2"F-3/8"M
	46175	Impact	Extension	1/2"F-3/8"M
	46184	Impact	Standard	1/2"F-3/4"M
	46186	Impact	Standard	1/2"F-3/4"M
	84609A	Impact	Standard	3/4"F-1/2"M

Impact Sockets



Socket Features

Laser Etched High Visibility

Sockets are laser engraved with 3 extra-large markings every 120° around the sockets for improved readability.

Sockets For Every Application

SK impact sockets are available in a variety of sizes and styles to ensure you always have the right tool for each application.

Tested Tough Impact Sockets

SK impact sockets are coated with a rust-preventative compound that makes them exceptionally resistant to corrosive factors. In an independent salt spray test, SK impact sockets, with the tested tough rust-preventative coating, withstood the harsh test showing little deterioration, compared to the competitor's brand.



OF U.S. & GLOBAL
COMPONENTS™

For specifications, dimensions, and full product offering, please see the full line SK Catalog.

Impact Sockets

STANDARD & DEEP	SKU Part #	Drive Size	Points	Length	Fractional / Metric	Size
	45610	3/8"	6	Standard	Fractional	5/16"
	45612	3/8"	6	Standard	Fractional	3/8"
	45614	3/8"	6	Standard	Fractional	7/16"
	45616	3/8"	6	Standard	Fractional	1/2"
	45618	3/8"	6	Standard	Fractional	9/16"
	45620	3/8"	6	Standard	Fractional	5/8"
	45622	3/8"	6	Standard	Fractional	11/16"
	45360	3/8"	6	Deep	Fractional	5/16"
	45362	3/8"	6	Deep	Fractional	3/8"
	45364	3/8"	6	Deep	Fractional	7/16"
	45366	3/8"	6	Deep	Fractional	1/2"
	45368	3/8"	6	Deep	Fractional	9/16"
	45370	3/8"	6	Deep	Fractional	5/8"
	45372	3/8"	6	Deep	Fractional	11/16"
	45374	3/8"	6	Deep	Fractional	3/4"
	8958	3/8"	6	Standard	Metric	8mm
	8959	3/8"	6	Standard	Metric	9mm
	8960	3/8"	6	Standard	Metric	10mm
	8961	3/8"	6	Standard	Metric	11mm
	8962	3/8"	6	Standard	Metric	12mm
	8963	3/8"	6	Standard	Metric	13mm
	8964	3/8"	6	Standard	Metric	14mm
	8965	3/8"	6	Standard	Metric	15mm
	8966	3/8"	6	Standard	Metric	16mm
	8967	3/8"	6	Standard	Metric	17mm
	8968	3/8"	6	Standard	Metric	18mm
	8969	3/8"	6	Standard	Metric	19mm
	8928	3/8"	6	Deep	Metric	8mm
	8929	3/8"	6	Deep	Metric	9mm
	8930	3/8"	6	Deep	Metric	10mm
	8931	3/8"	6	Deep	Metric	11mm
	8932	3/8"	6	Deep	Metric	12mm
	8933	3/8"	6	Deep	Metric	13mm
	8934	3/8"	6	Deep	Metric	14mm
	8935	3/8"	6	Deep	Metric	15mm
	8936	3/8"	6	Deep	Metric	16mm
	8937	3/8"	6	Deep	Metric	17mm
	8938	3/8"	6	Deep	Metric	18mm
	8939	3/8"	6	Deep	Metric	19mm
	34012	1/2"	6	Standard	Fractional	3/8"
	34014	1/2"	6	Standard	Fractional	7/16"
	34016	1/2"	6	Standard	Fractional	1/2"
	34018	1/2"	6	Standard	Fractional	9/16"
	34020	1/2"	6	Standard	Fractional	5/8"
	34022	1/2"	6	Standard	Fractional	11/16"
	34024	1/2"	6	Standard	Fractional	3/4"
	34026	1/2"	6	Standard	Fractional	13/16"
	34028	1/2"	6	Standard	Fractional	7/8"
	34030	1/2"	6	Standard	Fractional	15/16"
	34032	1/2"	6	Standard	Fractional	1"
	34034	1/2"	6	Standard	Fractional	1-1/16"

STANDARD & DEEP (continued)	SKU Part #	Drive Size	Points	Length	Fractional / Metric	Size
	34036	1/2"	6	Standard	Fractional	1-1/8"
	34038	1/2"	6	Standard	Fractional	1-3/16"
	34040	1/2"	6	Standard	Fractional	1-1/4"
	34042	1/2"	6	Standard	Fractional	1-5/16"
	34044	1/2"	6	Standard	Fractional	1-3/8"
	34046	1/2"	6	Standard	Fractional	1-7/16"
	34048	1/2"	6	Standard	Fractional	1-1/2"
	34212	1/2"	6	Deep	Fractional	3/8"
	34214	1/2"	6	Deep	Fractional	7/16"
	34216	1/2"	6	Deep	Fractional	1/2"
	34218	1/2"	6	Deep	Fractional	9/16"
	34220	1/2"	6	Deep	Fractional	5/8"
	34222	1/2"	6	Deep	Fractional	11/16"
	34224	1/2"	6	Deep	Fractional	3/4"
	34226	1/2"	6	Deep	Fractional	13/16"
	34228	1/2"	6	Deep	Fractional	7/8"
	34230	1/2"	6	Deep	Fractional	15/16"
	34232	1/2"	6	Deep	Fractional	1"
	34234	1/2"	6	Deep	Fractional	1-1/16"
	34236	1/2"	6	Deep	Fractional	1-1/8"
	34238	1/2"	6	Deep	Fractional	1-3/16"
	34240	1/2"	6	Deep	Fractional	1-1/4"
	34242	1/2"	6	Deep		1-5/16"
	34244	1/2"	6	Deep	Fractional	1-3/8"
	34248	1/2"	6	Deep	Fractional	1-1/2"
	34058	1/2"	6	Standard	Metric	8mm
	34059	1/2"	6	Standard	Metric	9mm
	34060	1/2"	6	Standard	Metric	10mm
	34061	1/2"	6	Standard	Metric	11mm
	34062	1/2"	6	Standard	Metric	12mm
	34063	1/2"	6	Standard	Metric	13mm
	34064	1/2"	6	Standard	Metric	14mm
	34065	1/2"	6	Standard	Metric	15mm
	34066	1/2"	6	Standard	Metric	16mm
	34067	1/2"	6	Standard	Metric	17mm
	34068	1/2"	6	Standard	Metric	18mm
	34069	1/2"	6	Standard	Metric	19mm
	34070	1/2"	6	Standard	Metric	20mm
	34071	1/2"	6	Standard	Metric	21mm
	34072	1/2"	6	Standard	Metric	22mm
	34073	1/2"	6	Standard	Metric	23mm
	34074	1/2"	6	Standard	Metric	24mm
	34075	1/2"	6	Standard	Metric	25mm
	34076	1/2"	6	Standard	Metric	26mm
	34077	1/2"	6	Standard	Metric	27mm
	34078	1/2"	6	Standard	Metric	28mm
	34079	1/2"	6	Standard	Metric	29mm
	34080	1/2"	6	Standard	Metric	30mm
	34082	1/2"	6	Standard	Metric	32mm
	34086	1/2"	6	Standard	Metric	36mm
	34096	1/2"	6	Standard	Metric	46mm



Impact Sockets

STANDARD & DEEP (continued)	SKU Part #	Drive Size	Points	Length	Fractional / Metric	Size
	34260	1/2"	6	Deep	Metric	10mm
	34261	1/2"	6	Deep	Metric	11mm
	34262	1/2"	6	Deep	Metric	12mm
	34263	1/2"	6	Deep	Metric	13mm
	34264	1/2"	6	Deep	Metric	14mm
	34265	1/2"	6	Deep	Metric	15mm
	34266	1/2"	6	Deep	Metric	16mm
	34267	1/2"	6	Deep	Metric	17mm
	34268	1/2"	6	Deep	Metric	18mm
	34269	1/2"	6	Deep	Metric	19mm
	34270	1/2"	6	Deep	Metric	20mm
	34271	1/2"	6	Deep	Metric	21mm
	34272	1/2"	6	Deep	Metric	22mm
	34273	1/2"	6	Deep	Metric	23mm
	34274	1/2"	6	Deep	Metric	24mm
	34275	1/2"	6	Deep	Metric	25mm
	34276	1/2"	6	Deep	Metric	26mm
	34277	1/2"	6	Deep	Metric	27mm
	34278	1/2"	6	Deep	Metric	28mm
	34279	1/2"	6	Deep	Metric	29mm
	34280	1/2"	6	Deep	Metric	30mm
	34282	1/2"	6	Deep	Metric	32mm
	34283	1/2"	6	Deep	Metric	33mm
	34284	1/2"	6	Deep	Metric	34mm
	34286	1/2"	6	Deep	Metric	36mm



SWIVEL	SKU Part #	Drive Size	Points	Length	Fractional / Metric	Size
	33310	3/8"	6	Standard	Fractional	5/16"
	33312	3/8"	6	Standard	Fractional	3/8"
	33314	3/8"	6	Standard	Fractional	7/16"
	33316	3/8"	6	Standard	Fractional	1/2"
	33318	3/8"	6	Standard	Fractional	9/16"
	33320	3/8"	6	Standard	Fractional	5/8"
	33322	3/8"	6	Standard	Fractional	11/16"
	33324	3/8"	6	Standard	Fractional	3/4"
	33358	3/8"	6	Standard	Metric	8mm
	33359	3/8"	6	Standard	Metric	9mm
	33360	3/8"	6	Standard	Metric	10mm
	33361	3/8"	6	Standard	Metric	11mm
	33362	3/8"	6	Standard	Metric	12mm
	33363	3/8"	6	Standard	Metric	13mm
	33364	3/8"	6	Standard	Metric	14mm
	33365	3/8"	6	Standard	Metric	15mm
	33366	3/8"	6	Standard	Metric	16mm
	33367	3/8"	6	Standard	Metric	17mm
	33368	3/8"	6	Standard	Metric	18mm
	33369	3/8"	6	Standard	Metric	19mm
	33370	3/8"	6	Standard	Metric	20mm
	33371	3/8"	6	Standard	Metric	21mm
	33372	3/8"	6	Standard	Metric	22mm
	34316	1/2"	6	Standard	Fractional	1/2"
	34318	1/2"	6	Standard	Fractional	9/16"
	34320	1/2"	6	Standard	Fractional	5/8"
	34322	1/2"	6	Standard	Fractional	11/16"
	34324	1/2"	6	Standard	Fractional	3/4"
	34326	1/2"	6	Standard	Fractional	13/16"
	34328	1/2"	6	Standard	Fractional	7/8"
	34330	1/2"	6	Standard	Fractional	15/16"
	34332	1/2"	6	Standard	Fractional	1"
	34334	1/2"	6	Standard	Fractional	1-1/16"
	34336	1/2"	6	Standard	Fractional	1-1/8"
	34338	1/2"	6	Standard	Fractional	1-3/16"
	34340	1/2"	6	Standard	Fractional	1-1/4"
	34360	1/2"	6	Standard	Metric	10mm
	34361	1/2"	6	Standard	Metric	11mm
	34362	1/2"	6	Standard	Metric	12mm
	34363	1/2"	6	Standard	Metric	13mm
	34364	1/2"	6	Standard	Metric	14mm
	34365	1/2"	6	Standard	Metric	15mm
	34366	1/2"	6	Standard	Metric	16mm
	34367	1/2"	6	Standard	Metric	17mm
	34368	1/2"	6	Standard	Metric	18mm
	34369	1/2"	6	Standard	Metric	19mm
	34370	1/2"	6	Standard	Metric	20mm
	34371	1/2"	6	Standard	Metric	21mm
	34372	1/2"	6	Standard	Metric	22mm
	34373	1/2"	6	Standard	Metric	23mm
	34374	1/2"	6	Standard	Metric	24mm

Impact Sockets Sets

STANDARD & DEEP SETS	SKU Part #	# Pieces	Drive Size	Points	Std. Fractional	Deep Fractional	Std. Metric	Deep Metric	Extension	Extras
	4090	40	3/8"	6	5/16-3/4"	5/16-3/4"	8-19mm	8-19mm		
	4058	8	3/8"	6	5/16-3/4"					
	4078	8	3/8"	6		5/16-3/4"				
	4062	12	3/8"	6			8-19mm			
	4082	12	3/8"	6				8-19MM		
	4051	28	1/2"	6	3/8 - 1-1/4"	3/8 - 1-1/4"				
	4050	17	1/2"	6	3/8-3/4"	3/8-3/4"			3" & 5"	Universal Joint
	4039	19	1/2"	6	3/8 - 1-1/2"					
	4035	15	1/2"	6	3/8 - 1-1/4"					
	4031	11	1/2"	6	3/8-1"					
	4049	19	1/2"	6		3/8 - 1-1/2"				
	4045	15	1/2"	6		3/8 - 1-1/4"				
	4041	11	1/2"	6		3/8-1"				
	4037	25	1/2"	6			8-36mm			
	4038	23	1/2"	6			10-46mm			
	4036	17	1/2"	6			8-24mm			
	4047	26	1/2"	6				10-36mm		
	4048	15	1/2"	6				10-24mm		
	4033	10	1/2"	6				10-19mm		
	84420	20	3/4"	6	5/8-2"					
	84414	14	3/4"	6	3/4 - 1-5/8"				7	Universal Joint
	87920	20	3/4"	6		5/8-2"				
	85637	37	1"	6	3/4-3"					
	88819	19	1"	6		7/8-2"				

SWIVEL SETS	SKU Part #	# Pieces	Drive Size	Points	Std. Fractional	Deep Fractional	Std. Metric	Deep Metric
	33300	8	3/8"	6	5/16-3/4"			
	33351	10	3/8"	6			10-19mm	
	34300	13	1/2"	6	1/2 - 1-1/4"			
	34301	8	1/2"	6	1/2-15/16"			
	34350	15	1/2"	6			10-24mm	
	34351	10	1/2"	6			10-19mm	





**LIFETIME
WARRANTY**

TurboSockets®

TURBOSOCKETS	SKU Part #	Drive Size	Length	Size
	760	1/4"	Standard	6mm
	762	1/4"	Standard	6.25mm & 1/4"
	765	1/4"	Standard	6.5mm
	767	1/4"	Standard	6.75mm
	770	1/4"	Standard	7mm
	772	1/4"	Standard	7.25mm & 9/32"
	775S	1/4"	Standard	7.5mm
	777	1/4"	Standard	7.75mm
	780	1/4"	Standard	8mm & 5/16"
	782	1/4"	Standard	8.25mm
	785S	1/4"	Standard	8.5mm
	787	1/4"	Standard	8.75mm & 11/32"
	790	1/4"	Standard	9mm
	792	1/4"	Standard	9.25mm
	795	1/4"	Standard	9.5mm & 3/8"
	800	1/4"	Standard	10mm
	809	3/8"	Standard	9.5mm & 3/8"
	810	3/8"	Standard	10mm
	811	3/8"	Standard	11mm & 7/16"
	812	3/8"	Standard	12mm
	813	3/8"	Standard	13mm
	814S	3/8"	Standard	14mm
	815	3/8"	Standard	15mm
	816	3/8"	Standard	1/2"
	817	3/8"	Standard	17mm
	818	3/8"	Standard	9/16"
	820	3/8"	Standard	16mm & 5/8"
	822	3/8"	Standard	11/16"
	824S	3/8"	Standard	19mm & 3/4"
	839	3/8"	Deep	3/8"
	840	3/8"	Deep	10mm
	841	3/8"	Deep	11mm - 7/16"
	842	3/8"	Deep	12mm
	843	3/8"	Deep	13mm
	844	3/8"	Deep	14mm
	845	3/8"	Deep	15mm
	846	3/8"	Deep	1/2"
	847	3/8"	Deep	17mm
	848	3/8"	Deep	9/16"
	850	3/8"	Deep	16mm & 5/8"
	852	3/8"	Deep	11/16"
	854	3/8"	Deep	19mm & 3/4"
	884	1/2"	Standard	3/4"
	886	1/2"	Standard	13/16"
	888	1/2"	Standard	7/8"
	890	1/2"	Standard	15/16"
	892	1/2"	Standard	1"
	924S	1/2"	Standard	19mm-21mm & 3/4"-13/16"
	928	1/2"	Standard	22mm-24mm & 7/8"-15/16"

SETS	SKU Part #	# Pieces	Drive Size	Length	Smallest Size	Largest Size
	756	16	1/4"	Standard	6mm	10mm
	803	13	3/8"	Standard	3/8"	19mm & 3/4"
	833	13	3/8"	Deep	3/8"	19mm & 3/4"
	875	5	1/2"	Standard	3/4"	1"
	920	2	1/2"	Standard	19-21mm & 3/4-13/16"	22-24mm & 7/8-15/16"



TurboSockets®

- Easily removes damaged or rounded nuts & bolts with no hammering. Simply place the socket on fastener and turn
- Removes Slotted and Phillips head screws too tight for a screwdriver. Even screws, nuts and bolts, with very thin, rounded or tapered heads can be removed.
- Tool design works to improve socket grip as more torque is applied.
- Can be used with or without impact guns.
- Can be utilized with a variety of power tools.




OF U.S. & GLOBAL
COMPONENTS™

For specifications, dimensions, and full product offering, please see the full line SK Catalog.

X-Frame® Ratcheting Wrench

A 1.7° Arc Swing for Precision and Power in the Tightest Spaces



Revolutionary 6 Pawl Technology

- Dual-opposing pawls provide more strength
- Works in pairs, so one pair is always engaged
- 216 positions — Delivers a 1.7° Arc Swing
- Far superior to all other ratcheting wrenches

SUREGRIP® TECHNOLOGY

SureGrip® Technology drives the sides of fasteners for maximum strength and minimum rounding

I-Beam handle distributes added force evenly for superior strength



X-Frame®

X-FRAME SETS	SKU Part #	# Pieces	Arc Swing	Points	Size
	80049	7	6	1.7°	3/8" - 3/4"
	80019	12	6	1.7°	8mm - 19mm

X-FRAME	SKU Part #	Points	Arc Swing	Size
	80038	6	1.7°	3/8"
	80039	6	1.7°	7/16"
	80040	6	1.7°	1/2"
	80041	6	1.7°	9/16"
	80042	6	1.7°	5/8"
	80043	6	1.7°	11/16"
	80044	6	1.7°	3/4"
	80001	6	1.7°	8mm
	80002	6	1.7°	9mm
	80003	6	1.7°	10mm
	80004	6	1.7°	11mm
	80005	6	1.7°	12mm
	80006	6	1.7°	13mm
	80007	6	1.7°	14mm
	80008	6	1.7°	15mm
	80009	6	1.7°	16mm
	80011	6	1.7°	17mm
	80012	6	1.7°	18mm
	80013	6	1.7°	19mm



12 Piece, 6 Point X-Frame Metric Combination Wrench Set | SKU 80019

7 Piece, 6 Point X-Frame Fractional Combination Wrench Set | SKU 80049



Wrenches

Combination Wrenches


- SK SuperKrome® combination wrenches feature a thicker shank and rounded edges for improved gripping and increased comfort.
- SureGrip® Technology drives the side of the fastener, not the corner for extra hold on rounded fasteners.
- Complete wrench offering includes standard, long and short, wrenches.

SUPERKROME®

High polish SuperKrome® plating results in a jewelry-like finish, providing long life and maximum corrosion resistance.

Flare Nut Wrenches

- Designed for soft fittings such as brass and aluminum.
- Flare nut wrenches feature SureGrip® Technology which drives the side of the hex, not the corner.



Wrench Sets

COMBINATION WRENCH SETS	SKU Part #	# Pieces	Finish	Points	Length	Size Range
	86250	20	SuperChrome	12	Short	3/8-15/16" & 10-19mm
	86231	11	SuperChrome	12	Short	3/8-1"
	86240	10	SuperChrome	12	Short	10-19mm
	87018	18	SuperChrome	12	Standard	1/4-3/4" & 10-18mm
	86043	23	SuperChrome	12	Standard	1/4 - 1-1/2"
	86014	16	SuperChrome	6 & 12	Standard	1/4 - 1-1/4"
	86255	15	SuperChrome	12	Standard	1/4-1"
	86124	14	SuperChrome	6	Standard	1/4-15/16"
	86011	9	SuperChrome	6 & 12	Standard	1/4-3/4"
	86225	23	SuperChrome	12	Standard	8-32mm
	86224	19	SuperChrome	12	Standard	6-24mm
	86265	15	SuperChrome	12	Standard	8-22mm
	86123	13	SuperChrome	6	Standard	7-19mm
	86226	6	SuperChrome	12	Standard	25-32mm
	86049	21	SuperChrome	12	Long	1/4 - 1-1/2"
	86018	16	SuperChrome	12	Long	1/4 - 1-1/4"
	86118	13	SuperChrome	6	Long	1/4-1"
	86017	13	SuperChrome	12	Long	1/4-1"

COMBINATION WRENCH SETS (continued)	SKU Part #	# Pieces	Finish	Points	Length	Size Range
	86048	8	SuperChrome	12	Long	1-1/16 - 1-1/2"
	86037	19	SuperChrome	12	Long	6-24mm
	86127	13	SuperChrome	6	Long	7-19mm
	86040	12	SuperChrome	12	Long	8-19mm
	86041	5	SuperChrome	12	Long	20-24mm

FLARE NUT WRENCH SETS	SKU Part #	# Pieces	Finish	Points	Type	Size Range
	371	11	SuperChrome	6	Standard	1/4" x 5/16" - 3/4" x 7/8" & 9mm x 11mm - 19mm x 21mm
	376	6	SuperChrome	6	Standard	9mm x 11mm - 19mm x 21mm
	381	5	SuperChrome	6	Standard	1/4" x 5/16" - 3/4" x 7/8"

Wrenches

COMBINATION WRENCH	SKU Part #	Finish	Length	Points	Size
	88012	SuperChrome	Short	12	3/8"
	88014	SuperChrome	Short	12	7/16"
	88016	SuperChrome	Short	12	1/2"
	88018	SuperChrome	Short	12	9/16"
	88020	SuperChrome	Short	12	5/8"
	88022	SuperChrome	Short	12	11/16"
	88024	SuperChrome	Short	12	3/4"
	88026	SuperChrome	Short	12	13/16"
	88028	SuperChrome	Short	12	7/8"
	88030	SuperChrome	Short	12	15/16"
	88032	SuperChrome	Short	12	1"
	88110	SuperChrome	Short	12	10mm
	88111	SuperChrome	Short	12	11mm
	88112	SuperChrome	Short	12	12mm
	88113	SuperChrome	Short	12	13mm
	88114	SuperChrome	Short	12	14mm
	88115	SuperChrome	Short	12	15mm
	88116	SuperChrome	Short	12	16mm
	88117	SuperChrome	Short	12	17mm
	88118	SuperChrome	Short	12	18mm
	88119	SuperChrome	Short	12	19mm
	88121	SuperChrome	Short	12	21mm
	88122	SuperChrome	Short	12	22mm
	88123	SuperChrome	Short	12	23mm
	88124	SuperChrome	Short	12	24mm
COMBINATION WRENCH	88208	SuperChrome	Standard	6	1/4"
	88209	SuperChrome	Standard	6	9/32"
	88210	SuperChrome	Standard	6	5/16"
	88211	SuperChrome	Standard	6	11/32"
	88212	SuperChrome	Standard	6	3/8"
	88214	SuperChrome	Standard	6	7/16"
	88266	SuperChrome	Standard	6	1/2"
	88268	SuperChrome	Standard	6	9/16"
	88270	SuperChrome	Standard	6	5/8"
	88272	SuperChrome	Standard	6	11/16"
	88274	SuperChrome	Standard	6	3/4"
	88276	SuperChrome	Standard	6	13/16"
	88278	SuperChrome	Standard	6	7/8"
	88280	SuperChrome	Standard	6	15/16"
	88357	SuperChrome	Standard	6	7mm
	88358	SuperChrome	Standard	6	8mm
	88359S	SuperChrome	Standard	6	9mm
	88360	SuperChrome	Standard	6	10mm
	88361	SuperChrome	Standard	6	11mm
	88362S	SuperChrome	Standard	6	12mm
	88363	SuperChrome	Standard	6	13mm
	88364	SuperChrome	Standard	6	14mm
	88365S	SuperChrome	Standard	6	15mm
	88366	SuperChrome	Standard	6	16mm
	88367	SuperChrome	Standard	6	17mm
	88368	SuperChrome	Standard	6	18mm
	88369	SuperChrome	Standard	6	19mm
	8860S	SuperChrome	Long	6	1/4"
	88610	SuperChrome	Long	6	5/16"
	88612	SuperChrome	Long	6	3/8"

COMBINATION WRENCH (continued)	SKU Part #	Finish	Length	Points	Size
	88614	SuperChrome	Long	6	7/16"
	88616	SuperChrome	Long	6	1/2"
	88618	SuperChrome	Long	6	9/16"
	88620	SuperChrome	Long	6	5/8"
	88622	SuperChrome	Long	6	11/16"
	88624	SuperChrome	Long	6	3/4"
	88626	SuperChrome	Long	6	13/16"
	88628	SuperChrome	Long	6	7/8"
	88630	SuperChrome	Long	6	15/16"
	88632	SuperChrome	Long	6	1"
	88707	SuperChrome	Long	6	7mm
	88708	SuperChrome	Long	6	8mm
	88709	SuperChrome	Long	6	9mm
	88710	SuperChrome	Long	6	10mm
	88711	SuperChrome	Long	6	11mm
	88712	SuperChrome	Long	6	12mm
	88713	SuperChrome	Long	6	13mm
	88714	SuperChrome	Long	6	14mm
	88715	SuperChrome	Long	6	15mm
	88716	SuperChrome	Long	6	16mm
	88717	SuperChrome	Long	6	17mm
	88718	SuperChrome	Long	6	18mm
	88719	SuperChrome	Long	6	19mm
	88288	SuperChrome	Standard	12	1/4"
	88289	SuperChrome	Standard	12	9/32"
	88290	SuperChrome	Standard	12	5/16"
	88291	SuperChrome	Standard	12	11/32"
	88292	SuperChrome	Standard	12	3/8"
	88294	SuperChrome	Standard	12	7/16"
	88216	SuperChrome	Standard	12	1/2"
	88218	SuperChrome	Standard	12	9/16"
	88220	SuperChrome	Standard	12	5/8"
	88222	SuperChrome	Standard	12	11/16"
	88224	SuperChrome	Standard	12	3/4"
	88226	SuperChrome	Standard	12	13/16"
	88228	SuperChrome	Standard	12	7/8"
	88230	SuperChrome	Standard	12	15/16"
	88232	SuperChrome	Standard	12	1"
	88234	SuperChrome	Standard	12	1-1/16"
	88236	SuperChrome	Standard	12	1-1/8"
	88238	SuperChrome	Standard	12	1-3/16"
	88240	SuperChrome	Standard	12	1-1/4"
	88242	SuperChrome	Standard	12	1-5/16"
	88246	SuperChrome	Standard	12	1-7/16"
	88248S	SuperChrome	Standard	12	1-1/2"
	88306	SuperChrome	Standard	12	6mm
	88307	SuperChrome	Standard	12	7mm
	88308S	SuperChrome	Standard	12	8mm
	88309	SuperChrome	Standard	12	9mm
	88310	SuperChrome	Standard	12	10mm
	88311	SuperChrome	Standard	12	11mm
	88312	SuperChrome	Standard	12	12mm
	88313	SuperChrome	Standard	12	13mm
	88314	SuperChrome	Standard	12	14mm
	88315	SuperChrome	Standard	12	15mm



Wrenches (continued)

COMBINATION WRENCH (continued)	SKU Part #	Finish	Length	Points	Size
	88316	SuperChrome	Standard	12	16mm
	88317	SuperChrome	Standard	12	17mm
	88318	SuperChrome	Standard	12	18mm
	88319	SuperChrome	Standard	12	19mm
	88320	SuperChrome	Standard	12	20mm
	88321	SuperChrome	Standard	12	21mm
	88322	SuperChrome	Standard	12	22mm
	88323	SuperChrome	Standard	12	23mm
	88324	SuperChrome	Standard	12	24mm
	88325	SuperChrome	Standard	12	25mm
	88326	SuperChrome	Standard	12	26mm
	88327	SuperChrome	Standard	12	27mm
	88329	SuperChrome	Standard	12	29mm
	88330	SuperChrome	Standard	12	30mm
	88332	SuperChrome	Standard	12	32mm
	88408	SuperChrome	Long	12	1/4"
	88410	SuperChrome	Long	12	5/16"
	88411	SuperChrome	Long	12	11/32"
	88412	SuperChrome	Long	12	3/8"
	88414	SuperChrome	Long	12	7/16"
	88416S	SuperChrome	Long	12	1/2"
	88418	SuperChrome	Long	12	9/16"
	88420	SuperChrome	Long	12	5/8"
	88422	SuperChrome	Long	12	11/16"
	88424	SuperChrome	Long	12	3/4"
	88426	SuperChrome	Long	12	13/16"
	88428	SuperChrome	Long	12	7/8"
	88430	SuperChrome	Long	12	15/16"
	88244	SuperChrome	Long	12	1-3/8"
	88246	SuperChrome	Long	12	1-7/16"
	88248S	SuperChrome	Long	12	1-1/2"
	88506	SuperChrome	Long	12	6mm
	88507	SuperChrome	Long	12	7mm
	88508	SuperChrome	Long	12	8mm
	88509	SuperChrome	Long	12	9mm
	88510	SuperChrome	Long	12	10mm
	88511	SuperChrome	Long	12	11mm
	88512	SuperChrome	Long	12	12mm
	88513	SuperChrome	Long	12	13mm
	88514	SuperChrome	Long	12	14mm
	88515	SuperChrome	Long	12	15mm
	88516	SuperChrome	Long	12	16mm
	88517	SuperChrome	Long	12	17mm
	88518	SuperChrome	Long	12	18mm
	88519	SuperChrome	Long	12	19mm
	88520	SuperChrome	Long	12	20mm
	88521	SuperChrome	Long	12	21mm
	88522	SuperChrome	Long	12	22mm
	88523	SuperChrome	Long	12	23mm
	88524	SuperChrome	Long	12	24mm

ADJUSTABLE WRENCHES	SKU Part #	Finish	Length
	8004	Satin	4"
	8006	Satin	6"
	8008	Satin	8"
	8010	Satin	10"
	8012	Satin	12"
	8015	Satin	15"
	8018	Satin	18"
	8024	Satin	24"

FLARE NUT WRENCH	SKU Part #	Type	Size
	F810	Regular	1/4" x 5/16"
	F1214	Regular	3/8" x 7/16"
	F1618	Regular	1/2" x 9/16"
	F2022	Regular	5/8" x 11/16"
	F2024	Regular	5/8" x 3/4"
	F2428	Regular	3/4" x 7/8"
	F3236	Regular	1" x 1-1/8"
	8809	Regular	9mm x 11mm
	8810	Regular	10mm x 12mm
	8813	Regular	13mm x 14mm
	8815	Regular	15mm x 17mm
	8818	Regular	16mm x 18mm
	8829	Regular	19mm x 21mm

Torque Wrenches/Screwdrivers

ADJUSTABLE TORQUE SCREWDRIVERS	SKU Part #	Drive Size	Torque Capacity	Length
	SKT0568	1/4"	2-36 in. lbs.	7.8"
	SKT0587	1/4"	2-36 in. lbs.	7.8"
	77002	1/4"	20-150 in. lbs.	10.2"
	77025	3/8"	30-250 in. lbs.	11.3"
	77100	3/8"	10-100 ft. lbs.	16.0"
	77150	1/2"	20-150 ft. lbs.	19.0"
	77250	1/2"	30-250 ft. lbs.	24.4"
	77600	3/4"	100-600 ft. lbs.	42.0"

Screwdrivers

CushionGrip Slotted Screwdrivers

- Dual durometer handle for comfort and control
- End stamp for quick identification
- Bolstered blades
- Nickel chrome plated for corrosion resistance
- Vapor blasted tip for fastener grip
- Made in the USA



OF U.S. & GLOBAL
COMPONENTS™

SureGrip® Slotted Screwdrivers

- Butyrate handle for strength, durability and resistant to most automotive chemicals.
- Contoured handle for control
- Bolstered blades on larger sizes
- Nickel chrome plated for corrosion resistance
- Vapor blasted tip for fastener grip
- Easy clean up

For specifications, dimensions, and full product offering, please see the full line SK Catalog.



Screwdriver Sets & Screwdrivers

SCREWDRIVER SETS	SKU Part #	Set Count	Grip Type	Slotted	Phillips	Torx®
	86006	9	SureGrip	1/4"x2.25", 1/4"x4", 5/16"x6", 3/8"x8" & 3/8"x12"	P0x3", P1x4", P2x2.25" & P2x4"	
	86323	7	SureGrip			T10x6", T15x6", T20x6", T25x6", T27x6", T30x6" & T40x8"
	86320	6	SureGrip	1/8"x3", 3/16"x4" & 1/4"x4"	P0x3", P1x4" & P2x4"	
	86321	5	SureGrip	3/16"x6", 1/4"x6" & 1/4"x8"	P2x4" & P2x8"	
	86324	4	SureGrip	3/16"x12", 1/4"	P2x16"	
	86325	4	SureGrip	3/16"x2.25" & 1/4"x2.25"	P1x2.25" & P2x2.25"	
	86326	6	SureGrip	3/16"x4", 1/4"x4" & 5/16"x6"	P1x4", P2x4" & P3x6"	
	86007	9	CushionGrip	1/4"x2.25", 1/4"x4", 5/16"x6", 5/16"x8" & 5/16"x12"	P0x3", P1x4", P2x2.25" & P2x4"	
	86333	7	CushionGrip			T10x6, T15x6, T20x6, T25x6, T27x6, T30x6 & T40x8
	86330	6	CushionGrip	1/8"x3", 3/16"x4" & 1/4"x4"	P0x3", P1x4" & P2x4"	
	86336	6	CushionGrip	3/16"x4", 1/4"x4" & 5/16"x6"	P1x4", P2x4" & P3x6"	
	86335	4	CushionGrip	3/16"x2.25" & 1/4"x2.25"	P1x1.25" & P2x2.25"	

SCREWDRIVERS	SKU Part #	Handle Type	Type	Size	Blade Length
	79200	SureGrip	Slotted	1/8"	3"
	85202	SureGrip	Slotted	3/16"	2-1/4"
	85201	SureGrip	Slotted	3/16"	4"
	85200	SureGrip	Slotted	3/16"	6"
	85002	SureGrip	Slotted	3/16"	12"
	81001S	SureGrip	Slotted	1/4"	2-1/4"
	81002	SureGrip	Slotted	1/4"	4"
	85204	SureGrip	Slotted	1/4"	6"
	85205	SureGrip	Slotted	1/4"	8"
	85203	SureGrip	Slotted	1/4"	12"
	81003S	SureGrip	Slotted	5/16"	6"
	85206	SureGrip	Slotted	5/16"	12"
	81004	SureGrip	Slotted	3/8"	8"
	81005	SureGrip	Slotted	3/8"	12"
	82001S	SureGrip	Phillips	P0	3"
	82002S	SureGrip	Phillips	P1	2-1/4"
	82003S	SureGrip	Phillips	P1	4"
	82006	SureGrip	Phillips	P2	2-1/4"
	82007	SureGrip	Phillips	P2	4"
	82008	SureGrip	Phillips	P2	8"
	82009	SureGrip	Phillips	P2	12"
	85026	SureGrip	Phillips	P2	16"
	82010	SureGrip	Phillips	P3	6"
	84001	SureGrip	Torx	T10	6"
	84002	SureGrip	Torx	T15	6"
	84003	SureGrip	Torx	T20	6"
	84004	SureGrip	Torx	T25	6"
	84005	SureGrip	Torx	T27	6"
	84006	SureGrip	Torx	T30	6"
	79117	CushionGrip	Slotted	1/8"	3"
	79204	CushionGrip	Slotted	3/16"	2-1/4"

SCREWDRIVERS (continued)	SKU Part #	Handle Type	Type	Size	Blade Length
	79203	CushionGrip	Slotted	3/16"	4"
	79100	CushionGrip	Slotted	1/4"	2-1/4"
	79101	CushionGrip	Slotted	1/4"	4"
	79102	CushionGrip	Slotted	1/4"	6"
	79209	CushionGrip	Slotted	1/4"	8"
	79206	CushionGrip	Slotted	1/4"	12"
	79103	CushionGrip	Slotted	5/16"	6"
	79213	CushionGrip	Slotted	5/16"	8"
	79210	CushionGrip	Slotted	5/16"	12"
	79104	CushionGrip	Slotted	3/8"	8"
	79111	CushionGrip	Phillips	P0	3"
	79205	CushionGrip	Phillips	P1	1-1/4"
	79112	CushionGrip	Phillips	P1	4"
	79114	CushionGrip	Phillips	P2	2-1/4"
	79113	CushionGrip	Phillips	P2	4"
	79115	CushionGrip	Phillips	P2	8"
	79208	CushionGrip	Phillips	P2	20"
	79211	CushionGrip	Phillips	P3	6"
	79212	CushionGrip	Phillips	P4	8"
	79510	CushionGrip	Torx	T10	6"
	79515	CushionGrip	Torx	T15	6"
	79520	CushionGrip	Torx	T20	6"
	79525	CushionGrip	Torx	T25	6"
	79527	CushionGrip	Torx	T27	6"
	79530	CushionGrip	Torx	T30	6"
	79540	CushionGrip	Torx	T40	8"
	85112	SureGrip	Phillips & Slotted	P1 & 3/16"	-

For specifications, dimensions, and full product offering, please see the full line SK Catalog.

Pliers

The Right Tool for the Job

Our wide variety of pliers and cutters are made from drop forged and heat-treated steel.

ERGONOMIC HANDLES for comfortable, all-day use.
The curved handles reduce wrist and muscle fatigue.

CUTTERS are hand-sharpened for superior performance.

VARIETY of sizes and styles of pliers are available for use in aerospace, automotive and industrial applications.

Flush Rivet Design

- Provides a smoother adjustment and stronger pivot.
- Overall narrower design gives you better access.
- Smooth adjustment of the rivet will not loosen.



OF U.S. & GLOBAL
COMPONENTS™



Plier Sets

PLIERS SETS	SKU Part #	Set Count	Type	Lengths Included
	17839	2	Combination (Slip-Joint)	6" & 8"
	17840	3	Heavy Duty Diagonal Cutting Pliers, Long Needle Nose Pliers with Cutters & T/G Pliers	8", 8" & 10"
	17832	2	Extra Long Needle Nose Pliers, Straight & 45° Angle	11"
	17842	3	Heavy Duty Diagonal Cutting Pliers, Long Nose Pliers with Cutters & Linesman Pliers with Crimping Die and Fishtape Puller	8", 8" & 9"

RETAINING RING PLIER SETS	SKU Part #	Set Count	Type	Tip Angles	Tip Sizes
	7600	6	Convertible Retaining Ring	0° & 90°	.038", .047" & .070"
	7750	10	Retaining Ring Plier Set	0°, 15°, 45° & 90°	.108" & .120"

Pliers

PLIERS	SKU Part #	Type	Length
	7625	Soft Jaw Cannon Plug	10"
	7206	Combination (Slip-Joint)	6"
	7507	Tongue & Groove	7"
	7510	Tongue & Groove	10"
	7512	Tongue & Groove	12"
	7516	Tongue & Groove	16"
	181	Diagonal Cutting	5"
	15016	Diagonal Cutting	6"
	15027	Diagonal Cutting	7"
	16107	Diagonal Heavy Duty Cutting	7"
	15017	Angled Diagonal Heavy Duty Cutting	7"
	16108	Heavy Duty Diagonal Cutting	8"
	15018	Angled Diagonal Heavy Duty Cutting	8"
	18507	End Cutter	7"
	15011	Terminal Crimping	10"
	7601	Mini Hose Pinch Pliers	5.5"
	7602	Hose Pinch Pliers	9"
	7603	Hose Pinch Pliers	14"
	7635	Lock Ring Straght	9"
	7636	Lock Ring, Angle	9"
	7637	Lock Ring, Compound	10"
	7698	Crimping/Stripping Pliers	8"
	7699	Up-front Cutter/Stripper/Crimper Pliers	8.5"
	7801	Weatherpack Crimper	8"
	17828	Duckbill Serrated Jaws	8"
	16315	Bent Chain Nose	6"
	17830	Extra Long Needle Nose	11"
	17831	Extra Long Needle Nose, 45° Angle	11"
	18019	Lineman Pliers with Crimping Die and Fishtape Puller	9"

RETAINING RING PLIERS	SKU Part #	Type	Tip Angle	Tip Diameter
	7617	Internal Retaining Ring Pliers	0°	.120"
	7618	External Retaining Ring Pliers	0°	.120"
	7638	Convertible Retaining Ring	0°	.038"
	7634	Convertible Retaining Ring	0°	.047"
	7640	Convertible Retaining Ring	0°	.070"
	7642	Convertible Retaining Ring	0°	.090"
	7639	Convertible Retaining Ring	90°	.038"
	7633	Convertible Retaining Ring	90°	.047"
	7641	Convertible Retaining Ring	90°	.070"
	7632	Convertible Retaining Ring	90°	.090"



For specifications, dimensions, and full product offering, please see the full line SK Catalog.

Premium quality tools for professional technicians.



1.800.822.5575
www.SKTools.com

SK Tools USA, LLC
2323 Reach Road
Williamsport, PA 17701 USA



LIFETIME WARRANTY

Copyright 2022. All Rights Reserved.